

<u>DB Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
USPT	L18 and (receiv\$3 near2 run-time)	0	<u>L20</u>
USPT	L18 and (run-time adj handler\$1)	0	<u>L19</u>
USPT	L17 and ((creat\$3 or construct\$3 or generat\$3) near3 template\$1)	18	<u>L18</u>
USPT	707/523	253	<u>L17</u>
USPT	L2 and (run-time near handler\$1)	0	<u>L16</u>
USPT	L2 and (run-time adj handler\$1)	0	<u>L15</u>
USPT	L2 and ((stor\$3 adj template\$1) near2 reference\$1)	0	<u>L14</u>
USPT	L2 and browser adj software	2	<u>L13</u>
USPT	L2 and ((browser adj software) and template adj reposit\$3)	0	<u>L12</u>
USPT	L2 and (execut\$3 near application)	2	<u>L11</u>
USPT	L2 and (dictionar\$3 and reference\$1)	4	<u>L10</u>
USPT	L2 and (determin\$3 near2 (dictionar\$3 and reference\$1))	0	<u>L9</u>
USPT	((register\$3 near2 reference\$1) same dictionary same run-time)	0	<u>L8</u>
USPT	L2 and register\$3 near reference\$1	0	<u>L7</u>
USPT	L2 and (register\$3 near reference\$1 with dictionary)	0	<u>L6</u>
USPT	5860073.pn.	1	<u>L5</u>
USPT	L2 and (templat\$ near2 (reference\$1 or token\$1))	2	<u>L4</u>
USPT	L2 and (templat\$ near2 (reference\$1 or token\$1) with (specif\$3 or determin\$3))	0	<u>L3</u>
USPT	L1 and ((creat\$3 or construct\$3 or generat\$3) near3 template\$1)	26	<u>L2</u>
USPT	707/522	203	<u>L1</u>

89/256,845

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)**Search Results -**

Terms	Documents
L32 and ((back-end) adj database)	0

Database:

- US Patents Full-Text Database
- US Pre-Grant Publication Full-Text Database
- JPO Abstracts Database
- EPO Abstracts Database
- Derwent World Patents Index
- IBM Technical Disclosure Bulletins

Refine Search:

[Clear](#)**Search History****Today's Date: 1/17/2002**

<u>DB Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
USPT	L32 and ((back-end) adj database)	0	L37
USPT	L32 and L28	31	L36
USPT	L32 and ((creat\$3 or generat\$3) adj template\$1 adj hav\$3 adj reference\$1)	0	L35
USPT	L32 and ((creat\$3 or generat\$3) adj template\$1 adj hav\$3 reference\$1)	443	L34
USPT	L32 and L2	6	L33
USPT	707/526	478	L32
USPT	L28 and L11	1	L31
USPT	L28 and L4	0	L30
USPT	L28 and L18	1	L29
USPT	(run-time)or (run adj time)	11408	L28
USPT	L17 and ((back-end) adj database)	0	L27
USPT	L17 and (back-end adj database)	0	L26

USPT	L17 and (stor\$3 adj template\$1 same (back-end adj database))	0	<u>L25</u>
USPT	L17 and (register\$3 near2 reference\$1 with template\$1)	0	<u>L24</u>
USPT	((creat\$3 or generat\$3) adj template\$1 adj hav\$3 adj reference\$1)	0	<u>L23</u>
USPT	((creat\$3 or generat\$3) adj template\$1 adj hav\$3 reference\$1)	2000958	<u>L22</u>
USPT	6055522.pn.	1	<u>L21</u>
USPT	L18 and (receiv\$3 near2 run-time)	0	<u>L20</u>
USPT	L18 and (run-time adj handler\$1)	0	<u>L19</u>
USPT	L17 and ((creat\$3 or construct\$3 or generat\$3) near3 template\$1)	18	<u>L18</u>
USPT	707/523	253	<u>L17</u>
USPT	L2 and (run-time near handler\$1)	0	<u>L16</u>
USPT	L2 and (run-time adj handler\$1)	0	<u>L15</u>
USPT	L2 and ((stor\$3 adj template\$1) near2 reference\$1)	0	<u>L14</u>
USPT	L2 and browser adj software	2	<u>L13</u>
USPT	L2 and ((browser adj software) and template adj reposit\$3)	0	<u>L12</u>
USPT	L2 and (execut\$3 near application)	2	<u>L11</u>
USPT	L2 and (dictionar\$3 and reference\$1)	4	<u>L10</u>
USPT	L2 and (determin\$3 near2 (dictionar\$3 and reference\$1))	0	<u>L9</u>
USPT	((register\$3 near2 reference\$1) same dictionary same run-time)	0	<u>L8</u>
USPT	L2 and register\$3 near reference\$1	0	<u>L7</u>
USPT	L2 and (register\$3 near reference\$1 with dictionary)	0	<u>L6</u>
USPT	5860073.pn.	1	<u>L5</u>
USPT	L2 and (templat\$ near2 (reference\$1 or token\$1))	2	<u>L4</u>
USPT	L2 and (templat\$ near2 (reference\$1 or token\$1) with (specif\$3 or determin\$3))	0	<u>L3</u>
USPT	L1 and ((creat\$3 or construct\$3 or generat\$3) near3 template\$1)	26	<u>L2</u>
USPT	707/522	203	<u>L1</u>

USPT	L17 and (stor\$3 adj template\$1 same (back-end adj database))	0	L25
USPT	L17 and (register\$3 near2 reference\$1 with template\$1)	0	L24
USPT	((creat\$3 or generat\$3) adj template\$1 adj hav\$3 adj reference\$1)	0	L23
USPT	((creat\$3 or generat\$3) adj template\$1 adj hav\$3 reference\$1)	2000958	L22
USPT	6055522.pn.	1	L21
USPT	L18 and (receiv\$3 near2 run-time)	0	L20
USPT	L18 and (run-time adj handler\$1)	0	L19
USPT	L17 and ((creat\$3 or construct\$3 or generat\$3) near3 template\$1)	18	L18
USPT	707/523	253	L17
USPT	L2 and (run-time near handler\$1)	0	L16
USPT	L2 and (run-time adj handler\$1)	0	L15
USPT	L2 and ((stor\$3 adj template\$1) near2 reference\$1)	0	L14
USPT	L2 and browser adj software	2	L13
USPT	L2 and ((browser adj software) and template adj reposit\$3)	0	L12
USPT	L2 and (execut\$3 near application)	2	L11
USPT	L2 and (dictionar\$3 and reference\$1)	4	L10
USPT	L2 and (determin\$3 near2 (dictionar\$3 and reference\$1))	0	L9
USPT	((register\$3 near2 reference\$1) same dictionary same run-time)	0	L8
USPT	L2 and register\$3 near reference\$1	0	L7
USPT	L2 and (register\$3 near reference\$1 with dictionary)	0	L6
USPT	5860073.pn.	1	L5
USPT	L2 and (templat\$ near2 (reference\$1 or token\$1))	2	L4
USPT	L2 and (templat\$ near2 (reference\$1 or token\$1) with (specif\$3 or determin\$3))	0	L3
USPT	L1 and ((creat\$3 or construct\$3 or generat\$3) near3 template\$1)	26	L2
USPT	707/522	203	L1